

MSI UK Approved Drug List - February 2024

| Drug Name | Form | Clinical use of drug |
|--|-----------|--|
| Local anaesthetic drugs | | |
| Ethyl Chloride spray | Spray | Local anaesthetic spray - subdermal implant |
| Instillagel Chlorhexidine 0.25mg with Lidocaine 20mg per 1mg | Gel | Local anaesthetic - IUD (coil) fits |
| Lidocaine as the following preparations: 10mls of 2%, 2mls of 1%, 20mls of 1% with adrenaline, 20mls of 2% with adrenaline | Injection | Local anaesthetic: - Vasectomy - Subdermal implants |
| Lidocaine with Prilocaine 5% cream (e.g. EMLA, Nulbia) | Cream | Local anaesthetic - IUD (coil) fits |
| Mepivacaine Hydrochloride 3% 30mg per 1ml | Solution | Local anaesthetic: - IUD (coil) fits - cervical preparation prior to surgical abortion |
| Tetracaine gel 4% (e.g. Ametop) | Cream | Local anaesthetic for cannula insertion |
| Xylocaine 10mg | Spray | Local anaesthetic spray: - IUD (coil) fits - Cervical preparation prior to surgical abortion |
| Xylocaine 2% with Adrenaline | Solution | Local anaesthetic for surgical abortion |
| Emergency | | |
| Adrenaline/Epinephrine 1:1000 | Injection | Emergency - Anaphylaxis |
| Adrenaline/Epinephrine 1:10000 | Injection | Emergency - cardiac resuscitation |
| Aminophylline 250mg/10ml | Injection | Emergency - Asthma |
| Amiodarone Hydrochloride 30mg /1ml | Injection | Emergency - Cardiac |

| | | |
|---|----------------------|----------------------------------|
| Aspirin 300 mg | Tablet | Emergency - cardiac |
| Atropine Sulfate 300microgram /1ml | Injection | Emergency - bradycardia |
| Carbetocin (100 micrograms/1ml) | Solution | Emergency - haemorrhage |
| Chlorphenamine Maleate 10mg /1ml | Injection | Emergency - allergy |
| Calcium Chloride 10% | Injection | Emergency - cardiovascular |
| Diazepam 10mg | Suppository | Emergency - seizures |
| Diazepam 5mg/ml Emulsion | Injection | Emergency - seizures |
| Doxapram Hydrochloride 100mg/5ml | Injection | Emergency - respiratory distress |
| Ephedrine hydrochloride 30mg/10ml or 30mg/1ml | Injection | Emergency - respiratory |
| Furosemide 20mg/2ml | Injection | Emergency - fluid overload |
| Glucagon 1mg | Powder for injection | Emergency - hypoglycaemia |
| Glucose 10% Solution 100 ml, 500ml | Solution | Emergency - Hypoglycaemia |
| Hydrocortisone 100mg/1ml | Injection | Emergency - respiratory |
| Magnesium 50%w/v solution for injection, 2ml | Intravenous | Emergency - asthma |
| Metaraminol 10mg/1ml | Injection | Treatment of hypotension |
| Midazolam Hydrochloride 10mg/2ml | Injection | Emergency - seizures |
| Oxytocin 5units/1ml (Syntocinon) | Injection | Emergency - haemorrhage |

| | | |
|--|----------------------|--|
| Salbutamol 100micrograms/dose | Inhaler | Emergency - respiratory distress |
| Syntometrine 500 micrograms ergometrine and 5 international units oxytocin/1mL | Injection | Emergency- haemorrhage |
| Tranexamic acid 500mg/5ml | Injection | Emergency - Haemorrhage |
| | | |
| Antibiotics | | |
| Azithromycin 250 mg - supplied as 3 day course | Tablet | Antibiotic for chlamydia infection |
| Cefuroxime 1.5grams | Powder for injection | Antibiotic - sepsis |
| Clindamycin 300mg | Capsule | Antibiotic - surgical abortion & sepsis |
| Clindamycin 600mg/50ml | Solution | |
| Co-Amoxiclav 625mg (500mg amoxicillin/125mg clavulanic acid) | Tablet | Antibiotic - broad spectrum for post procedure infection when alternative antibiotic not appropriate |
| Doxycycline 100mg | Tablet | Antibiotic - chlamydia infection & surgical abortion antibiotic prophylaxis & post procedure infection |
| Gentamicin 240mg/80ml | Injection | Antibiotic - sepsis |
| Metronidazole 1g | suppository | Antibiotic - surgical abortion antibiotic prophylaxis |
| Metronidazole 400mg | Tablet | Antibiotic - post procedure infection & suspected bacterial vaginosis |
| | | |
| Contraceptives | | |
| Desogestrel 75micrograms | Tablet | Progestogen only contraceptive pill |
| Ethinylestradiol 33.9microgram and Norelgestromin 203microgram (Evra) | Patch | Combined contraceptive patch |

| | | |
|---|-------------------|---|
| Etonogestrel 11.7mg and ethinylestradiol 2.7mg (0.12mg/0.015mg per 24 hours) - Nuvaring & Syreniring | Device | Combined contraceptive rings |
| Etonogestrel 68mg (Nexplanon) | Implant | Contraceptive subdermal implant |
| Intra-Uterine Copper Devices - 5 and 10 year devices | Device | Copper contraceptive intrauterine devices (coil) - non-hormonal |
| Levonorgestrel 150 micrograms / ethinylestradiol 30 micrograms e.g., Levest, Rigevidon | Tablet | Combined contraceptive pill |
| Levonorgestrel 13.5mg Jaydess | Device | Levonorgestrel contraceptive intrauterine devices (coils) - hormonal |
| Levonorgestrel 19.5mg Kyleena | Device | |
| Levonorgestrel 52mg: Levosert, Mirena | Device | |
| Medroxyprogesterone Acetate 150mg/1ml (Depo-Provera) | Suspension | Contraceptive injection |
| Medroxyprogesterone Acetate 104mg/0.65mL (Sayana Press) | Suspension | Contraceptive injection - self administered |
| | | |
| Abortion specific | | |
| Anti-D (Rh0) Immunoglobulin as 500unit & 1,500units/2ml (Rhophylac) | Injection | Rhesus negative undergoing surgical abortion |
| Digoxin 500 micrograms/2mL | Injection | Surgical abortion (fetocide) |
| Dilapan-S Osmotic Dilator | Device | Cervical preparation |
| Mifepristone 200mg | Tablet | Used in medical abortion, cervical preparation, retained products of conception |
| Misoprostol 200mg | Buccal/per vagina | Used in medical abortion, cervical preparation, retained products of conception |
| <i>Please note, mifepristone and misoprostol, when used as abortifacants, have legal conditions.</i> | | |
| | | |

Drugs used in general anaesthesia

| | | |
|--|----------------------|--------------------------------------|
| Flumazenil 500micrograms/5ml | Injection | Reversal of benzodiazepines |
| Glycopyrronium Bromide 200micrograms/1ml | Injection | Drug used during general anaesthesia |
| Naloxone 400micrograms/1ml | Injection | Reversal of opioid drugs |
| Neostigmine 2.5mg/1ml | Injection | Reversal of neuromuscular blockade |
| Propofol 1% | Injection | Used as part of general anaesthetic |
| Rocuronium bromide 50mg/5ml | Solution | Used as part of general anaesthetic |
| Sugammadex 200mg/2ml | Solution | Reversal of muscle relaxant drugs |
| Suxamethonium chloride 100mg/2ml | Injection | Muscle relaxant |
| Thiopental sodium 500 mg | Powder for injection | Used as part of general anaesthetic |
| | | |

Miscellaneous

| | | |
|---|-----------|----------------------------|
| Hartmann's Solution 500ml & 1 litre | Solution | Fluid replacement |
| Sodium chloride 0.9% | Injection | Dilution |
| Water for injection 2 & 10 millilitres | Injection | Dilution |
| Hydrex Pink Skin Prep 500ml | Solution | Skin preparation solutions |
| Travasept irrigation Antiseptic solution 1000ml | Solution | Skin preparation solutions |
| Videne Antiseptic Solution 500ml | Solution | Skin preparation solutions |

| Analgesia (pain relief) | | |
|--|-------------|--|
| Alfentanil 1mg/2ml | Injection | Used in surgical abortion |
| Codeine Phosphate 30mg | Tablet | Medical abortion & surgical abortion |
| Diclofenac sodium 12.5mg, 25mg & 100mg | Suppository | Used in surgical abortion |
| Fentanyl 100micrograms/2ml | Injection | Used in surgical abortion |
| Ibuprofen 400mg | Tablet | Used in surgical abortion |
| Morphine sulfate 10mg/5ml | Solution | Used in surgical abortion |
| Paracetamol 250 milligrams / 5mL paediatric dosing | Suspension | Used in surgical abortion |
| Paracetamol 500 milligrams | Tablet | Used in surgical abortion |
| Penthrox (methoxyflurane 3mls) | Inhaler | Inhalational agent to reduce pain during procedures |
| | | |
| Anti-emetic (anti-sickness) | | |
| Cyclizine 50mg/1ml | Injection | Nausea & vomiting during surgical abortion |
| Metoclopramide 10mg | Tablet | Nausea & vomiting during surgical abortion |
| Metoclopramide 10mg/2ml | Injection | |
| Ondansetron 4 mg & 8mg | Tablet | Nausea & vomiting TTA (to take away) before medical or surgical abortion |
| Ondansetron 4mg/2ml | Injection | Nausea & vomiting during medical or surgical abortion |

| | | |
|-------------------------------|-----------|--|
| Prochlorperazine 12.5mg/1ml | Injection | Nausea & vomiting during surgical abortion |
| Prochlorperazine 3 milligrams | Tablet | |

Please note, some drugs will be calculated according to weight and age.